

### No. RT-11028/01/2018-MVL Government of India Ministry of Road Transport and Highways (MVL Section)

Transport Bhawan, 1, Parliament Street, New Delhi-110001

Dated Ol July 2019

To,

- The Principal Secretaries / The Secretaries, Department of Transport, all the States / UT Administrations.
- 2. The Transport Commissioners of all the States / UT Administrations.

Subject: Compliance to Central Motor Vehicles Rules, 1989 for High Security Registration Plates.

Madam/Sir,

This Ministry has amended Rule 50 of Central Motor Vehicles Rules, 1989 and the HSRP Order of 2001, in order to improve the coverage of HSRP on all the vehicles across the country. The security licence plate is to be provided through the OEM of vehicles for the new vehicles and that the plates are to be affixed through the authorized dealers of OEM w.e.f. 01.04.2019. It has been further provided that and that the dealers may be authorized by Motor Vehicles Department to affix such plates on old vehicles. The Ministry has issued following notifications: -

- (i) GSR 1162(E) dated 04.12.2018 regarding amendment in Rule 50 and Rule 124 of Central Motor Vehicles Rules, 1989 (copy enclosed).
- (ii) SO 6052(E) dated 06.12.2018 regarding Motor Vehicles (High Security Registration Plates) Order, 2018 (copy enclosed).
- 2. In the meeting held on 04.04.2019 under the Chairmanship of Joint Secretary (MVL) with the representatives of State Governments, Testing Agencies, NIC, SIAM etc. the process and integration with VAHAN for the HSRP to be provided through OEM for the new vehicles was provided. It was decided that:
  - "i NIC would provide the functionality of HSRP Portal as like that of homologation system under VAHAN wherein the authorised HSRP manufacturers which could be the OEMS or the HSRP Manufacturers would upload the inventory of the blank HSRPs against said OEM. This inventory of blank HSRPs would be of different sizes, colours and combinations. The OEMs would be responsible for the inventory available against them. Internal system for monitoring of inventory location wise would be the responsibility of the OEMs.
  - ii The list of blank HSRP with the allocated laser branded identification numbers only with be visible to the concerned OEM and their dealers.
  - iii The allocated laser branded identification number will be verified after fitment by the dealer against the registered vehicle. Suitable access would be provided to the Dealer."
- 3. It was further decided that, till the facility mentioned in item No. i& ii as above are implemented, as an interim solution till May 2019 the authorised dealer of the OEM or

the Registering authority (RTO) will be allowed to enter the laser codes of the HSRP plates as fitted in the registered vehicle. Wherever the access to the VAHAN portal is not available to the dealer as is the practice in certain Districts in the States, linking the laser branded identification numbers with the other registration details of the vehicle would have to be done by the concerned Registration Authority (RTOs). The process of registration of the new vehicle would be compete only after fitment of the HSRP plates and entry of the laser codes information into the VAHAN system. Issuance of Certificate of Registration was decided to be held up till the completion of this process.

- 4. As the functionality of the HSRP portal has been put in operation by the NIC and is operational, in order to ensure compliance to the Rule 50 of Central Motor Vehicles Rules, 1989 and the HSRP Order 2018, the Original Equipment Manufacturers of the Motor Vehicles must ensure that the process of HSRP integration with VAHAN as at para no. 2 above be complied with and registration of new vehicles be done accordingly and that
  - i The HSRP inventory would be made available through the VAHAN portal only.
  - No new vehicle would be registered without integration of HSRP with the VAHAN database.

Yours faithfully,

(Dr. Piyush Jain) Director (MVL)

Tele: 011-23714974

Email: director-morth@gmail.com

Encl.: As above

### Copy to: -

- i DDG (NIC), CGO Complex, Lodhi Road, New Delhi.
- Director, Automotive Research Association of India (ARAI), Survey No. 102, Vetal Hill, Off Paud Road, Kothrud, Pune 411 038.
- iii Director, International Centre for Automotive Technology (ICAT), Plot 26, Sector 3, IMT Manesar, Gurgaon -122050.
- iv Director, Central Road Research Institute (CRRI), Delhi-Mathura Road, P.O. CRRI, New Delhi-110020.
- v The Director General, Society of Indian Automobile Manufacturers, (SIAM) Core-4-B, 5<sup>th</sup> Floor, India Habitat Centre, Lodi Road, New Delhi
- vi CEO, Federation of Automobile Dealers Associations (FADA), 804-805, Surya Kiran, 19, Kastruba Gandhi Marg, New Delhi-11001.

रजिस्ट्री सं॰ डी॰ एल॰-33004/99

REGD. NO. D. L .- 33004/99

# The Gazette of India

的多数工作的

# EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (i)

PART II-Section 3-Sub-section (i)

प्राधिकार से प्रकाशित

### PUBLISHED BY AUTHORITY

gi. 855]

नई दिल्ली, मंगलवार, दिसम्बर 4, 2018/अग्रहायण 13, 1940

No. 8551

NEW DELHI, TUESDAY, DECEMBER 4, 2018/AGRAHAYANA 13, 1940

### सड़क परिवहन और राजमार्ग मंत्रालय

### विधिसूचना

नई दिल्ली, 4 दिसम्बर, 2018

सा.का.नि.1162(अ).— केन्द्रीय मोटर यान नियम, 1989 का और संशोधन करने के लिए कितपय नियमों का प्रारूप, मोटर यान अधिनियम, 1988 (1988 का 59) की धारा 212 की उपधारा (1) की अपेक्षानुसार, भारत सरकार के सड़क परिवहन और राजमार्ग मंत्रालय की अधिसूचता संख्यांक सा.का.नि. 365(अ) तारीख 10 अप्रैल, 2018 द्वारा भारत के राजप्रत, असाधारण, भाग II, खंड 3, उपखंड (i) में प्रकाशित किए गए थे, जिसमें उन सभी व्यक्तियों से, जिनके उनसे प्रभावित होने की संभावना थी, उस तारीख से, जिसको प्रारूप नियमों वाले राजपत्र की प्रतियां जनता को उपलब्ध करा दी गई थी, तीस दिन की अवधि के अवसान से पूर्व आक्षेप और सुझाव आमंत्रित किए गए थे;

और उक्त राजपत्र अधिसूचना की प्रतियां जनता को तारीख 10 अप्रैल, 2018 को उपलब्ध करा दी गई थीं ;

और उक्त प्रारूप नियमों की बाबत जनता से प्राप्त आक्षेपों और सुझावों पर केंद्रीय सरकार द्वारा सम्यक रूप से विचार कर लिया गया है ;

अतः, अब केन्द्रीय सरकार, मोटर यान अधिनियम, 1988 (1988 का 59) की धारा 110 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, केन्द्रीय मोटर यान नियम, 1989 का और संशोधन करने के लिए निम्नलिखित नियम बनाती है, अर्थात्:-

### संक्षिप्त नाम और प्रारम्भ-

- (1) इन नियमों का संक्षिप्त नाम केन्द्रीय मोटर यान (सोलहवां संशोधन) नियम, 2018 है।
- (2) ये 1 अप्रैल, 2019 से प्रवृत्त होंगे।
- 2- केन्द्रीय मोटर यान नियम, 1989 (जिसे इसमें इसके पश्चात् उक्त नियम कहा गया है) के नियम 50 के, उप-नियम (1) में,-
  - (i) पहले परन्तुक के स्थान पर निम्नलिखित रखा जायेगा, अर्थात :-

THE GAZETTE OF INDIA: EXTRAORDINARY

[PART II—SEC. 3(i)]

"परन्तु डीलरों को, जहाँ कहीं अपेक्षित हो, तीसरे रजिस्ट्रीकरण चिन्ह सहित अति सुरक्षा रजिस्ट्रीकरण प्लेट का प्रदान यान विनिर्माताओं द्वारा 1 अप्रैल, 2019 को या उसके पश्चात् निर्मित सभी यानो के साथ की जायेगी और डीलर ऐसे प्लेटों पर

रजिस्ट्रीकरण चिन्ह बनाएंगे और उसे यान पर लगाएंगे। परन्तु यह और कि यान विनिर्माताओं के डीलर भी पुराने यानों पर यान विनिर्माताओं द्वारा दी गई ऐसी प्लेटों को उस पर रजिस्ट्रीकरण का चिन्ह बनाने के पश्चात लगा सकते हैं।";

- (ii) दूसरे परन्तुक में "और" शब्द के स्थान पर "भी" शब्द रखा जायेगा।
- 3- उक्त नियमों के, नियम 124 के उप-नियम (4) के सारणी में क्रम संख्या 21 और उससे सम्बंधित प्रविष्टियों के पश्चात् निम्नलिखित क्रम संख्या अन्तः स्थापित की जाएगी :-

A 2011		0	1 बप्रैल, 2019"
1122	अति सुरक्षा रजिस्ट्रीकरण प्लेट	नियम 50	1 04411, 2010
22			

[फा. सं. आर.टी.-11028/01/2018-एम.वी.एल.]

प्रियांक भारती, संयुक्त सचिव

टिप्पण:- मूल नियम भारत के राजपत्र, असाधारण, भाग II, खंड 3, उपखंड (i) में अधिसूचना सं. सा.का.िन. 590(अ), तारीख 2 जून, 1989 द्वारा प्रकाशित किए गए थे और अंतिम संशोधन सा.का.िन. सं. 1151(अ), तारीख 29 नवंबर, 2018 द्वारा किया गया।

# MINISTRY OF ROAD TRANSPORT AND HIGHWAYS

New Delhi, the 4th December, 2018

G.S.R. 1162(E).—Whereas, the draft of certain rules further to amend the Central Motor Vehicles Rules, 1989 were published, as required by sub-section (1) of section 212 of the Motor Vehicles Act, 1988 (59 of 1988), vide notification of the Government of India in the Ministry of Road Transport and Highways number G.S.R. 365(E), dated the 10<sup>th</sup> April, 2018, in the Gazette of India, Extraordinary, Part II, Section (3), Sub-section (i), inviting objections and suggestions from all persons likely to be affected thereby before the expiry of the period of thirty days from the date on which copies of the Official Gazette containing the draft rules were made available to the public;

And whereas, copies of the said Gazette notification were made available to the public on the 10th April, 2018;

And whereas, the objections and suggestions received from the public in respect of the said draft rules have been duly considered by the Central Government;

Now, therefore, in exercise of the powers conferred by section 110 of the Motor Vehicles Act, 1988 (59 of 1988), the Central Government hereby makes the following rules further to amend the Central Motor Vehicles Rules, 1989, namely:-

- 1. Short title and commencement:-
- (1) These rules may be called the Central Motor Vehicles (Sixteenth Amendment) Rules, 2018.
- (2) They shall come into force w.e.f 1st April, 2019.
- 2. In the Central Motor Vehicles Rules, 1989 (hereinafter referred to as the said rules), in rule 50, in sub-rule (1),-
  - (i) for the first proviso, the following provisos shall be substituted, namely:-

"Provided that the High Security Registration Plate including the third registration mark, wherever required, shall be supplied by the vehicle manufacturers along with the vehicles manufactured on or after the 1<sup>st</sup> day of April, 2019 to their dealers and dealers shall place a mark of registration on such plates and affix them on the vehicle.



Provided further that the dealers of the vehicle manufacturers may also affix such plates, supplied by the vehicle manufacturers, on old vehicles after placing the registration mark of registration thereon";

- (ii) in the second proviso, for the word "further", the word "also" shall be substituted.
- 3. In the said rules, in rule 124, in sub-rule (4), in the TABLE after serial number. 21, and the entries relating thereto, the following serial number shall be inserted, namely: -

"22	High Security Registration Plate	Rule 50	1st April, 2019".

[No. RT-11028/01/2018-MVL] PRIYANK BHARTI, Jt. Secy.

Note.- The principal rules were published in the Gazette of India, Extraordinary, Part II, Section 3, Sub-section (i) vide notification number G.S.R. 590(E), dated the 2nd June, 1989 and last amended vide notification number G.S.R. 1151 (E), dated the 29th November, 2018.

रजिस्ट्री सं॰ डी॰ एल॰-33004/99

REGD. NO. D. L.-33004/99



**经控制的**1000元代

असाधारण

EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (ii)

PART II-Section 3-Sub-section (ii)

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं. 4823]

नई दिल्ली, बृहस्पतिवार, दिसम्बर 6, 2018/अग्रहायण 15, 1940

No. 4823]

NEW DELHI, THURSDAY, DECEMBER 6, 2018/AGRAHAYANA 15, 1940

# सड़क परिवहन और राजमार्ग मंत्रालय

### अधिसचन

नई दिल्ली, 6 दिसम्बर, 2018

का.आ. 6052(अ),—जबिक, केंद्रीय सरकार की यह राय है कि लोकहित में यह अधिसूचित किया जाना आवश्यक और समीचीन है कि किसी मोटर वाहन में अति सुरक्षा रज़िस्ट्रीकरण प्लेट के संबंध में विनिर्माता द्वारा उपयोग की जाने वाली प्रक्रिया केंद्रीय मोटर यान नियम, 1989 के संबर्भ में कितपय मानकों के अनुरूप होगी;

अब, इसलिए, मोर्टर यान अधिनियम, 1988 (1988 का 59) की धारा 109 की उप-धारा (3) द्वारा प्रदत्न शैंकि का प्रयोग करते हुए और मोटर यान (नई अति सुरक्षा रिजस्ट्रीकरण प्लेट) आदेश, 2001 के उन बातों के सिवाय अधिकांत करते हुए, जिन्हे ऐसे अधिक्रमण से पूर्व किया गया है या करने का लोग किया गया, केंद्रीय सरकार एतद्द्वारा ऐसे मानकों को विनिर्दिष्ट करने के लिए निम्नलिखित आदेश जारी करती है, अर्थात्:—

### मादेश

- 1. संक्षिप्त नाम और प्रारंभ: -
  - (1) इस आदेश का संक्षिप्त नाम मोटर यान (अति सुरक्षा रजिस्ट्रीकरण प्लेट) आदेश, 2018 है।
  - (2) यह आदेश 1 अप्रैल, 2019 को प्रवृत्त होगा।
- 2. लागू होना यह आदेश मोटर यान अधिनियम, 1988 (1988 का 59) की धारा 2 के खंड (28) में यथा-परिमाषित
- 3. किसी वाहन निर्माता द्वारा 1 अप्रैल, 2019 को या उसके बाद बेचे जाने वाले नए वाहनों के लिए अति सुरक्षा रिजस्ट्रीकरण प्लेट (एचएसआरपी) के संबंध में निम्नलिखित प्रक्रियाओं का अनुपालन किया जाएगा, अर्थात्: -

- [PART II—SEC. 3(ii)]
- (क) वाहन विनिर्माताओं द्वारा उनके डीलरों को तीसरे रिजस्ट्रीकरण चिह्न सहित टाइप अनुमोदित अति सुरक्षा रिजस्ट्रीकरण प्लेटों की आपूर्ति की जाएगी जो ऐसी प्लेटों पर रिजस्ट्रीकरण का चिह्न लगाएंगे और इन्हें मोटर वाहनों पर चिपकाएंगे।
- (ख) मोटर वाहनों के विनिर्माता द्वारा यह सुनिश्चित किया जाएगा कि सुरक्षा लाइसेंस प्लेटों पर रजिस्ट्रीकरण का चिह्न लगाने और तीसरी रजिस्ट्रीकरण प्लेट को मुद्रित करने के लिए अपेक्षित अवसंरचना उनके डीलरों के पास उपलब्ध है।
- (ग) अति सुरक्षा रजिस्ट्रीकरण प्लेट और रजिस्ट्रीकरण चिह्न को लगाने के पश्चात इसे वाहन पर चिपकाने की लागत को नए वाहन की कीमत में शामिल किया जाएगा और इसके लिए डीलर द्वारा वाहन खरीदार से कोई अतिरिक्त या वस्तुबद्ध लागत प्रभारित नहीं की जाएगी।
- 4. (i) मौजूदा वाहनों पर एचएसआरपी लगाने के लिए, तीसरे रजिस्ट्रीकरण चिह्न सहित अति सुरक्षा रजिस्ट्रीकरण प्लेट की आपूर्ति उस पर रजिस्ट्रीकरण चिह्न लगाए जाने के पश्चात वाहन निर्माताओं के डीलरों द्वारा की जाएगी और इसे लगाया जाएगा।
- (ii) अति सुरक्षा रजिस्ट्रीकरण प्लेटों के विनिर्माता या आपूर्तिकर्ता, यदि संबंधित राज्य द्वारा अधिकृत हैं, तो रजिस्ट्रीकरण चिह्न लगाने के पश्चात पुराने वाहनों पर तीसरे रजिस्ट्रीकरण चिह्न सहित अति सुरक्षा रजिस्ट्रीकरण प्लेट की भी आपूर्ति कर सकते हैं।
- 5. मोटर वाहनों के विनिर्माता और उनके डीलरों या अति सुरक्षा रजिस्ट्रीकरण प्लेटों के विनिर्माताओं या आपूर्तिकर्ताओं द्वारा निम्नलिखित विनिर्देशों का अनुपालन किया जाएगा, अर्थात: -
- (i) अति सुरक्षा रजिस्ट्रीकरण प्लेटों के लिए केंद्रीय सड़क अनुसंधान संस्थान, नई दिल्ली या केंद्रीय मोटर यान नियम, 1989 के नियम 126 के तहत केंद्रीय सरकार द्वारा अधिकृत किसी परीक्षण एजेंसी से एक प्रमाण-पत्र प्राप्त किया जाएगा।
- (ii) रजिस्ट्रीकरण प्लेट केंद्रीय मोटर यान नियम, 1989 के नियम 50 में उपवर्णित विनिर्देशों के अनुरूप होगी।
- (iii) केंद्रीय मोटर यान नियम, 1989 के नियम 50 में उल्लिखित, अति सुरक्षा रिजस्ट्रीकरण प्लेट की अवधि अविनश्वर प्रकृति के लिए प्रत्याभूति दी गई होगी और इस अवधि से पूर्व प्लेट या रिजस्ट्रीकरण चिह्न के क्षतिग्रस्त होने या प्राकृतिक रूप से नष्ट होने के मामले में इसे उपर्युक्त पैरा 4 में उल्लिखित वाहनों के संबंध में मोटर वाहन विनिर्माता या उनके डीलरों द्वारा या अन्य मामलों में लाइसेंस प्लेट विनिर्माता या आपूर्तिकर्ता या उनके डीलरों जैसा भी मामला हो, द्वारा प्रतिस्थापित किया जाएगा।
- (iv) किसी भी विद्यमान रजिस्ट्रीकरण प्लेट का प्रतिस्थापन मोटर वाहनों के डीलरों या अधिकृत अति सुरक्षा रजिस्ट्रीकरण प्लेट विनिर्माता या आपूर्तिकर्ता द्वारा पुरानी प्लेट को अभ्यर्पित या विनष्ट सुनिश्चित किए जाने के पश्चात किया जा सकेगा।
- (v) (क) कूट रचना से संरक्षण के लिए 20 मिमी x 20 मिमी आकार का एक क्रोमियम आधारित होलोग्राम प्लेट के शीर्षस्थ बाई और के कोने पर सामने और पीछे दोनों प्लेटों का ताप स्टापन द्वारा लगाया जाएगा।
  - (ख) होलोग्राम में इस आदेश में यथाविनिर्दिष्ट उपाबंध के अनुसार नीले रंग में चक्र बना होगा।
- (vi) कम-से-कम 10 अंकों की स्थायी पहचान संख्यांक, रजिस्ट्रीकरण प्लेट के तल के बाई और परावर्ती परत में लेजर ब्रेंड की जानी है जिसमें अंक आकार 5 मिमी का होगा:

परन्तु यह है कि स्थायी क्रमागत पहचान संख्यांक के पहले विक्रेता या विनिर्माता या आपूर्तिकर्ता, जैसा मामला हो, जिसके लिए प्रकार अनुमोदन प्रमाण-पत्र परीक्षण एजेंसियों द्वारा जारी किए गए हैं के नाम का व्यपदेशन करते हुए दो अक्षर होंगे:

परन्तु अग्रेतर यह है कि नीचे दी गई सारणी के स्तम्भ (2) में विनिर्दिष्ट परीक्षण अभिकरण बताई गई उक्त सारणी के स्तम्भ (3) और (4) में विनिर्दिष्ट अक्षरों का प्रयोग निम्नवत करेंगे:

### सारणी

	WIN-II		the second second second
क्र. सं.	परीक्षण अभिकरण का नाम	प्रथम वर्ण	द्वितीय वर्ण
(1)	(2)	(3)	(4)
1	ऑटोमोटिव रिसर्च एसोसिएशन ऑफ इंडिया, पुणे	ए से एच	ए से जेड
2.	केंद्रीय सड़क अनुसंधान संस्थान, नई दिल्ली	आई से पी	ए से जेड
	यान अनुसंधान विकास स्थापना, अहमदनगर	क्यू से एस	ए से जेड
3.	अंतरराष्ट्रीय ऑटोमोटिव प्रौद्योगिकी केंद्र, मानेसर	टी से वी	ए से जेड
4.		एक्स	ए से जेड
5.	केंद्रीय सड़क परिवहन संस्थान, पुणे	वाई	ए से जेड:
6.	ग्लोबल ऑटोमोटिव रिसर्च सेंटर, चेलाई	1	The first section

परन्तु प्रतिबंध यह भी है कि सामने की और पीछे की रजिस्ट्रीकरण प्लेटों के लिए अंकों की ऊंचाई 5 मिमी. और तीसरी रजिस्ट्रीकरण प्लेट के लिए 2.5 मिमी. होगी, जो एक स्टिकर के प्ररूप में होगी।

- (vii) (क) अनुज्ञापन संख्यांक के अक्षरों या अंकों पर लगाई जाने वाली ताप स्टापन फिल्म में "इंडिया" उत्कीर्णित होगा।
  (ख) अक्षर "इंडिया" अन्य का दर्पण प्रतिबिंब होती हुई क्रमागत रेखाओं के साथ 45% अंश के झुकाव पर एरियल बोल्ड
  टाइप की लिपि में 10 (दस) आकार के अक्षर के साथ नीले रंग के होंगे।
- (viii) (क) स्व-विध्वंसक के प्रकार के क्रोमियम आधारित होलोग्राम स्टिकर के रूप में तीसरी रजिस्ट्रीकरण प्लेट 100 मिमी. × 60 मिमी. के आकार की होगी जिसे यान के विंडशील्ड के बाई ओर के भीतरी भाग पर लगाई जानी है।
  - (ख) स्टिकर की फिल्म अनिवार्यतः उच्च परावर्ती अभिसूचक सहित विवर्तन पर्णो की होनी चाहिए और उसमें क्रोमियम आधारित होलोग्राम जुड़ा हुआ होगा।
  - (ग) स्टिकर पर विवरण होगा:
    - (क) रजिस्ट्रीकर्ता प्राधिकारी का नाम;
    - (ख) वाहन की रजिस्ट्रीकरण संख्या;
    - (ग) लेजर ब्रांड की स्थायी पहचान संख्या; और
    - (घ) वाहन की पहली रजिस्ट्रीकरण की तारीख।
  - (घ) स्टिकर के दाएं कोने के तल पर क्रोमियम आधारित होलोग्राम लगाया जाएगा किंतु यह 10 मिमी. x 10 मिमी. के आकार का होगा और उक्त स्टिकर में वाहन का रजिस्ट्रीकरण संख्यांक केंद्र में होगा और अक्षरों की ऊंचाई 10 मिमी. होगी।
  - (ड.) लेजर ब्रांड वाला स्थायी पहचान संख्यांक स्टिकर के तल में बाई ओर आएंगे और अंकों का आकार 2.5 मिमी. का होगा।
  - (च) स्टिकर का चित्र इस आदेश से संलग्न उपाबंध में यथाविनिर्दिष्ट रेखाचित्र में दिया गया है।
  - (ix)(क) डीजल वाहनों के लिए स्व-विध्वंसक के प्रकार के क्रोमियम आधारित होलोग्राम स्टिकर के लिए पृष्ठभूमि का रंग नारंगी होगा तथा पेट्रोल और सीएनजी वाहनों के लिए ये हल्के नीले रंग के होंगे।
  - (ख) अन्य सभी वाहनों के लिए पृष्ठभूमि स्लेटी रंग की होगी।
  - (x) मोटर यान के विनिर्माता या विक्रेता द्वारा जारी की गई रजिस्ट्रीकरण प्लेटों का समुचित अभिलेख दैनिक आधार पर रखा जाना चाहिए।
  - (xi) रजिस्ट्रीकरण पर रजिस्ट्रीकरण प्लेट वाहनों पर लगाए जाने के पश्चात् विशिष्ट अति सुरक्षा रजिस्ट्रीकरण प्लेट को वाहन से इलेक्ट्रॉनिकली जोड़ दिया जाएगा।
  - (xii) उनके अधीनस्थ सभी सुरक्षा विशिष्टताओं का संपूर्ण अभिलेख मोटर वाहन के विनिर्माता या डीलर द्वारा अनुरक्षित किए जाएंगे जिनका सावधिक लेखा परीक्षा समय समय से संबंधित परीक्षण अभिकरण द्वारा की जाएंगी।

(xiii) मोटर वाहन के विनिर्माताओं का अपने अधीनस्थ सभी सुरक्षा विशिष्टताओं पर संपूर्ण नियंत्रण होगा और या तो वह स्वयं या उनकी ओर से नियुक्त अन्य कोई व्यक्ति खुले बाजार में रजिस्ट्रीकरण प्लेट पर किसी भी प्रकार की सुरक्षा विशिष्टता उपयोग के लिए उत्तरदायी होगा।

(xiv) मोटर वाहन के विनिर्माता किसी को भी अपूर्ण प्लेट या अपूर्ण सुरक्षा मानकों वाले प्लेट्स की पृथक बिक्री करने के लिए अधिकृत नहीं होंगे :

परन्तु यह भी है कि उप-पैरा (ix) में विनिर्दिष्ट विशिष्टताओं के अनुसार जो भी मामला हो, के अनुरूप पहले से रिजस्ट्रीकृत वाहनों के लिए स्व-विध्वंसक प्रकार के स्टिकर के रूप में तीसरी संख्या प्लेट को बदलने के लिए वे अधिकृत होंगे।


(xv) इन प्रावधानों का अनुपालन न करने पर संबंधित परीक्षण अभिकरण प्रकार अनुमोदन प्रमाणपत्र का निलंबन या निरस्तीकरण जारी करने के लिए उत्तरदायी होगा।

## ANNEXURE

# 1. HOLOGRAM (FRONT AND REAR REGISTRATION PLATE)



# 2. STICKER (THIRD REGISTRATION PLATE)



[फा. सं. आरटी-11028/01/2018-एमवीएल]

प्रियांक भारती, संयुक्त सचिव

### MINISTRY OF ROAD TRANSPORT AND HIGHWAYS NOTIFICATION

New Delhi, the 6th December, 2018

S.O. 6052(E).—Whereas, the Central Government is of the opinion that it is necessary and expedient in the public interest to notify that the process used by a manufacturer in regard to a high security registration plate for a motor vehicle shall conform to certain standards with reference to the Central Motor Vehicles Rule, 1989;

Now, therefore, in exercise of the power conferred by the sub-section (3) of section 109 of the Motor Vehicles Act, 1988 (59 of 1988) and in supersession of the Motor Vehicles (New High Security Registration Plates) Order, 2001, except as respect things done or omitted to be done before such supersession, the Central Government hereby makes the following order to specify such standards, namely:-

- 1. Short title and commencement:-
  - (1) This Order may be called as the Motor Vehicles (High Security Registration Plates) Order, 2018.
  - (2) It shall come into force on the 1<sup>st</sup> day of April, 2019.
- Application. —This Order shall apply to motor vehicles as defined in clause (28) of section 2 of the Motor Vehicles Act, 1988 (59 of 1988).
- A vehicle manufacturer shall comply with the following procedure in regard to High Security Registration Plates (HSRP) for a new vehicle to be sold on or after 1st April, 2019 namely:
  - The type approved High Security Registration Plates including the third registration mark, shall be supplied by the vehicle manufacturers to their dealers, who shall place a mark of registration on such plates and affix them on the automobiles.
  - A manufacturer of the motor vehicles shall ensure that the requisite infrastructure required for placing the mark of registration on the security licence plates and printing the third registration plate are available with their dealers.
  - The cost of high security registration plate and its affixture on the vehicle after placing the mark of registration shall be included in the price of the new vehicle and no additional or itemised cost shall be charged from the vehicle purchaser by the dealer for the same.
- (i) For the affixation of HSRP on existing vehicles, the high security registration plate including the third registration mark may be supplied and affixed by the dealers of the vehicle manufacturers after placing the mark of registration thereon.
  - (ii) The manufacturers or suppliers of high security registration plates, if so authorised by the state concerned, may also supply the high security registration plate including the third registration mark on old vehicles after placing the registration mark.
  - A manufacturer of the motor vehicles and their dealers or the manufacturers or suppliers of high security registration plates shall comply with the following specifications, namely: -
  - The high security registration plates shall have a certificate from the Central Road Research Institute, New Delhi or any one of the testing agencies authorised by the Central Government under rule 126 of the Central Motor Vehicles Rules, 1989.
  - The Registration Plate shall conform to the specifications spelt out in rule 50 of the Central Motor (ii) Vehicles Rules, 1989.
  - The Registration Plate shall be guaranteed for imperishable nature for a period mentioned in rule 50 of the Central Motor Vehicles Rules, 1989 and in case of damage or withering due to natural usage (iii) before such period, it shall be replaced by the motor vehicles manufacturer or their dealers in respect of vehicles mentioned under para 4 above, or the licence plate manufacturer or suppliers or their dealers, as the case may be, in other cases.
  - The replacement for any existing registration plate may be made by the motor vehicles dealers or the authorised high security registration plate manufacturer or supplier, only after ensuring that the old (iv) plate has been surrendered and destroyed.

- [PART II—SEC. 3(ii)]
- (v) (a) To protect against counterfeiting, a chromium-based hologram of the size 20 mm x 20 mm shall be applied by hot stamping on the top left-hand corner of the plate in both front and rear plates.
  - (b) The hologram shall contain CHAKRA in blue colour as specified in the Annexure appended to this Order.
- (vi) The permanent identification number of minimum 10 digits shall be laser branded into the reflective sheeting on the bottom left-hand side of the registration plate with the letter size being 5 mm:

Provided that the permanent consecutive identification number shall be preceded by two alphabets representing the name of the vendor or the manufacturer or the supplier, as the case may be, for whom the type approval certificate shall be issued by the test agencies:

Provided further that the test agencies specified in column (2) of the Table below shall use the alphabets specified in column (3) and (4) of the said Table as under:—

Table				
Sl. No.	Name of Test Agency	First Alphabet	Second Alphabet	
. (1)	(2)	(3)	(4)	
1.	Automotive Research Association of India, Pune	A to H	A to Z	
2.	Central Road Research Institute, New Delhi	: I to P	A to Z	
3.	Vehicles Research Development Establishment, Ahmednagar	Q to S	A to Z	
4.	International Centre for Automotive Technology, Manesar	T to V	A to Z	
5.	Central Institute of Road Transport, Pune	X	A to Z	
6.	Global Automotive Research Centre, Chennai	Y	A to Z:	

Provided also that the height of the digits shall be 5mm for the front and rear registration plates and shall be 2.5 mm for the third registration plate, which shall be in the form of a sticker.

- (vii) (a) The hot stamping film to be applied on the letters or numerals of the licence number shall bear the inscription "INDIA".
  - (b) The letters "INDIA" shall be in blue colour with the font size of 10 (Ten) in Type Arial Bold script at 45 degrees' inclination with sequential lines being the mirror image of the other.
- (viii) (A) The third registration plate in the form of a self-destructive type chromium based hologram sticker shall be of the size of 100 mm x 60 mm is to be affixed on the inner side of left hand corner of windshield of the vehicle.
  - (B) The sticker shall be required to be a diffraction foil film with high reflective index and shall have the chromium based hologram embedded.
  - (C) The details on the sticker shall be-
    - (a) Name of registering authority;
    - (b) registration number of the vehicle;
    - (c) laser branded permanent identification number; and
    - (d) Date of first registration of the vehicle.
  - (D) On the bottom of the right corner of the sticker, the chromium based hologram of size of 10 mm x10 mm shall be embedded and in the said sticker the registration number of the vehicle shall be in the centre with a letter size of 10 mm in height.
  - (E) The laser branded permanent identification number shall come in the bottom left side of the sticker with numeral size being 2.5mm.
  - (F) A depiction of the sticker shall be as specified in the Annexure appended to this Order.
- (ix) (a) The background colour for the self-destructive type chromium based hologram sticker for the Diesel vehicles shall be Orange and it shall be Light Blue for the Petrol and CNG vehicles.
  - (b) For all other vehicles, the background shall be of grey colour.
- (x) A proper record of the registration plates issued should be maintained on a daily basis by manufacturer of motor vehicle or dealer.



[ भाग II—खण्ड 3(ii)]

भारत का राजपत्र : असाधारण

1

- (xi) The unique high security registration plate shall be linked electronically to the vehicle after its affixture on the vehicle on registration.
- (xii) The complete record of all the security features in their possession shall be maintained by manufacturer of motor vehicle or dealer which may be audited by the concerned testing agencies from time to time.
- (xiii) The manufacturer of a motor vehicle shall exercise complete control over all the security features in their possession and shall be responsible for the use of any of the security feature on registration plate in the open market either by themselves or by any other person on their behalf.
- (xiv) The manufacturer of a motor vehicle shall not be authorized to sell incomplete plates or the security features separately to anyone:

  Provided that they shall be authorised to replace the third number plate in form of the self-destructive tape sticker for the already registered vehicles as the case may be as per specification specified in sub-
- para (ix).


  (xv) The type approval certificate issued shall be liable for suspension or cancellation by the concerned testing agency for failure to comply with these provisions.

### ANNEXURE

# 1. HOLOGRAM (FRONT AND REAR REGISTRATION PLATE)



# 2. STICKER (THIRD REGISTRATION PLATE)



[F. No. RT-11028/01/2018-MVL] PRIYANK BHARTI, Jt. Secy.